



96504

Tira de LED flexible
LED flexible Strip
Bande LED

60 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended



-965 04 - 24 9 4

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 60W	965	4,8	24 - DC 24V	9 - Epistar	2 - 2700K 481 Lumens/m 3 - 3000K 507 Lumens/m 4 - 4000K 534 Lumens/m

LED CHIP: SMD 2835 - CRI>90 - L70B10/36.000H - 120 lm/W - RG0

Options: Power Supply & Controller


Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control (Page 170)	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC





96509
Tira de LED flexible
LED flexible Strip
Bande LED

120 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended



-965 09 - 24 9 4
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 5m) 5m rolls 48W	965	9,6	24 - DC 24V	9 - Epistar	2 - 2700K 833 Lumens/m 3 - 3000K 882 Lumens/m 4 - 4000K 931 Lumens/m 6 - 6000K 980 Lumens/m

LED CHIP: SMD 3528 - CRI>80 - L70B10/36.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm		Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






91514

Tira de LED flexible ECO
LED flexible Strip ECO
Bande LED ECO

120 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended



-915 14 - 24 9 4
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 10m) 5m rolls 70W B - 50m rolls 700W	910	14	24 - DC 24V	9 - Epistar	3 - 3000K 1277 Lumens/m 4 - 4000K 1340 Lumens/m 6 - 6000K 1407 Lumens/m

LED CHIP: SMD 2835 - CRI>80 - L70B10/60.000H - 120 lm/W (4000K) - RG0

Options: Power Supply & Controller

Dimm		Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC






96514

Tira de LED flexible
LED flexible Strip
Bande LED

60 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended



-965 14 - 24 9 4
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 72W	965	14,4	24 - DC 24V	9 - Epistar	2 - 2700K 1182 Lumens/m 3 - 3000K 1247 Lumens/m 4 - 4000K 1313 Lumens/m 6 - 6000K 1379 Lumens/m

LED CHIP: SMD 5050 - CRI>80 - L70B10/55.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC



IP65 | LED Strip. Light Integrated LED



Technical

Light Integrated LED. **LED Strip** | IP65

96518

Tira de LED flexible

LED flexible Strip


Bande LED

120 LED/m

Included 10 pcs. TCCLIPSIP65

3M adhesive tape double side

5m in serial connection is the maximum recommended


$$\begin{array}{cccccc} _ & - & 9 & 6 & 5 & 18 & - & 24 & 9 & 4 \\ 1 & & 2 & & 3 & & & 4 & 5 & 6 \end{array}$$

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / lm System
HC - Cut to size (0,05 to 5m) 5m rolls 90W	965	18	24 - DC 24V	9 - Epistar	3 -  3000K 1552 Lumens/m 4 -  4000K 1634 Lumens/m

LED CHIP: SMD 2835 - CRI>80 - L70B10/36.000H - 120 lm/W - RG0

Options: Power Supply & Controller

Dimm Smart Control  WIFI RF DIRECT PUSH 	Dimm PUSH Direct 	Dimm DALI 	Dimm 0/1-10V 
Dimm APP TUYA 	Non Dimm On-Off 	Dimm TRIAC 	Dimm TRIAC 






99512. High Efficiency

Tira de LED flexible. Alta eficiencia
LED flexible Strip. High efficiency
Bande LED. Haute efficacité

160 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended



-995 12 - 24 9 4
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,05 to 10m) 5m rolls 60W B - 50m rolls 600W	995	12	24 - DC 24V	9 - Epistar	2 - 2700K 1663 Lumens/m 3 - 3000K 1705 Lumens/m 4 - 4000K 1748 Lumens/m

LED CHIP: SMD 2835 - CRI>90 - L70B10/60.000H - 160 lm/W (4000K) - RG0

Options: Power Supply & Controller

Dimm	Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control (Page 170)	Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC





96524

Tira de LED flexible
LED flexible Strip
Bande LED

300 LED/m
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial connection is the maximum recommended



1,2  5

$$\begin{array}{r} \underline{\underline{-965\ 24}} - \underline{\underline{24\ 9\ 4}} \\ \begin{array}{cccccc} 1 & 2 & 3 & 4 & 5 & 6 \end{array} \end{array}$$

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K / Lm System
HC - Cut to size (0,10 to 5m) 5m rolls 120W	965	24	24 - DC 24V	9 - Epistar	2 -  2700K 1761 Lumens/m 3 -  3000K 1859 Lumens/m 4 -  4000K 1957 Lumens/m 6 -  6000K 2055 Lumens/m

LED CHIP: SMD 2216 - CRI>90 - L70B10/54.000H - 120 lm/W - RGO

Options: Power Supply & Controller

Dimm Smart Control 	Dimm PUSH Direct 	Dimm DALI 	Dimm 0/1-10V 
	Dimm APP TUYA 	Non Dimm On-Off 	Dimm TRIAC 






96519 Tuneable White

Tira de LED flexible
LED flexible Strip
Bande LED

120 LED/m
Dual Color (2700K + 6000K)
Included 10 pcs. TCCLIPSIP65
3M adhesive tape double side
5m in serial conection is the maximum recommended

When a Tuneable White LED Strip is used with a CONTROL-V20 the power for the calculation of the power supply unit will be 9.6W/m.



-965 19 - 24 9 TW
1 2 3 4 5 6

1 - Supplies	2 - Model	3 - W/m	4 - Input Voltage	5 - Brand Chip	6 - K
HC - Cut to size (0,10 to 10m) B - 50m rolls 960W	900	19,2	24 - DC 24V	9 - Epistar	TW - 2700K - 6000K

LED CHIP: SMD 2835 - CRI>80 - L70B10/30.000H - RG0

Options: Power Supply & Controller

Dimm		Dimm PUSH Direct	Dimm DALI	Dimm 0/1-10V
Smart Control		Dimm APP TUYA	Non Dimm On-Off	Dimm TRIAC

